

TEKINTSE MEG AKCIÓS AJÁNLATUNKAT! AZ AKCIÓ 2020. DECEMBER 31-IG ÉRVÉNYES

- VHM maró változó élgeometriával univerzális felhasználásra.
- Max 1300N/mm² szakítószilárdságú anyagok: acél és öntvény megmunkálásához alkalmas.
- Mikroszemcsés anyagszerkezete és az AlCrN bevonat együttese biztosítja a hosszú élettartamot.
- Erősített, rezgéscsillapított szár a pontos, precíz megmunkálás érdekében.

WWW.RCTS.HU

RCTS

RC TOOL SHOP KFT.

🏠 RC TOOL SHOP KFT.
4032 DEBRECEN,
POROSZLAY U. 46. (HUNGARY)

📍 4024 DEBRECEN,
BLAHÁNE U. 2. (HUNGARY)

☎ +36 20 481 5182


✉ INFO@RCTS.HU

Endmills Carbide, 4 Flute, R35/38UNI, Cnr Rad, DIN6527L, Harmony

suttontools

HARMONY

- For precision finishing applications
- Ideally suited to materials up to 1300 N/mm²
- AlCrN for longer tool life



Catalogue Code	E559	E560
Discount Group	B0210	B0210
Material	VHM-ULTRA	VHM-ULTRA
Surface Finish	AlCrN	AlCrN
Sutton Designation	UNI	UNI
Geometry	R35/38	R35/38
Shank Form (DIN 6535)	HA	HB
Shank Tolerance	h6	h6
Shank Tolerance		h6

LÁTOGASSON EL HONLAPUNKRA! WWW.RCTS.HU

